APCL

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel. (909) 590-1828 Fax (909) 590-1498

June 03, 2004

GEOFON, Inc.
Attention: Tony Ford
22632 Golden Spring Dr Ste 270
Diamond Bar CA 91765

Dear Tony,

This package contains samples in our Service ID 04-2845 and your project : 4-12812 JPL GW Mon 2Q04.
Enclosed please find:

(1) Original analytical report.
(2) Original Chain of Custody.
(3) One diskette containing EDD deliverable.
(4) One original Level C Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & CH Laboratories

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
GEOFON, Inc.
Attention: Tony Ford
22632 Golden Spring Dr Ste 270
Diamond Bar CA 91765
Tel: (909)396-7662 Fax: (909)396-1455

Service ID #: 801-042845
Collected by: MM/JJ
Collected on: 05/06/04

Received: 05/06/04
Extracted: N/A
Tested: 05/06-12/04
Reported: 05/17/04

Sample Description: Water from MW-3 MW-14
Project Description: 4-12812 JPL GW Mon 2Q04

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result Dupe-1-2Q04 04-02845-1	EB-6-5/6/04 04-02845-2	MW-3-1 04-02845-3	MW-3-2 04-02845-4
BICARBONATE	SM2320B	mg/L	2	175	<2	170	148
CARBONATE	SM2320B	mg-$CaCO_3$/L	2	<2	<2	<2	<2
PH	9040B	pH unit	0.01	7.52	6.43	7.46	7.44
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	278	<10	320	247
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	μg/L	4	<4	<4	<4	15.5
Dilution Factor				4	1.25	2.5	2.5
CHLORIDE CL^-	300.0	mg/L	0.2	17.4	0.16J	17.7	16.7
NITRATE N-NO_3^- AS N	300.0	mg/L	0.04	1.1	0.066	1.0	0.86
SULFATE SO_4^{--}	300.0	mg/L	0.5	39.8	<0.63	40.2	36.6
Dilution Factor				1	1	1	1
CHROMIUM	200.8	μg/L	0.1	8.2	0.55	7.6	7.3
LEAD	200.8	μg/L	0.12	<0.12	0.021J	<0.12	<0.12
Dilution Factor				1	1	1	1
ARSENIC	200.9	μg/L	5	<5	3.3J	2.3J	2.2J
Dilution Factor				1	1	1	1
CALCIUM	200.7	μg/L	200	50,800	437	49,700	39,600
IRON	200.7	μg/L	50	790	39.1J	460	273
MAGNESIUM	200.7	μg/L	100	21,000	22.2J	20,700	19,700
POTASSIUM	200.7	μg/L	400	3,120	97.5J	3,130	2,830
SODIUM	200.7	μg/L	2000	22,900	600J	22,800	20,300
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	μg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	0.5
CHLOROBENZENE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	μg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result Dupe-1-2Q04 04-02845-1	EB-6-5/6/04 04-02845-2	MW-3-1 04-02845-3	MW-3-2 04-02845-4
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	0.3J
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-3-3 04-02845-5	MW-3-4 04-02845-6	MW-3-5 04-02845-7
BICARBONATE	SM2320B	mg/L	2	120	152	139
CARBONATE	SM2320B	mg-$CaCO_3$/L	2	<2	<2	<2
PH	9040B	pH unit	0.01	7.86	7.59	7.86
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	237	230	191
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				8	2.5	2.5
CHLORIDE CL^-	300.0	mg/L	0.2	37.5	15.1	15.0
NITRATE AS N	300.0	mg/L	0.04	0.29J	1.3	0.094J
SULFATE SO_4^{--}	300.0	mg/L	0.5	27.7	17.0	12.4
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4
Dilution Factor				1	1	1.25
CHROMIUM	200.8	µg/L	0.1	4.8	7.6	4.9
LEAD	200.8	µg/L	0.12	<0.12	0.014J	0.14J
Dilution Factor				1	1	1
ARSENIC	200.9	µg/L	5	4.8J	3.7J	6.4
Dilution Factor				1	1	1
CALCIUM	200.7	µg/L	200	26,700	22,700	19,500
IRON	200.7	µg/L	50	318	541	29,400
MAGNESIUM	200.7	µg/L	100	13,200	8,640	8,330
POTASSIUM	200.7	µg/L	400	2,870	1,920	2,050
SODIUM	200.7	µg/L	2000	40,600	46,800	48,100
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-3-3 04-02845-5	MW-3-4 04-02845-6	MW-3-5 04-02845-7
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-14-1 04-02845-8	MW-14-2 04-02845-9	MW-14-3 04-02845-10
BICARBONATE	SM2320B	mg/L	2	207	228	210
CARBONATE	SM2320B	mg-$CaCO_3$/L	2	<2	<2	<2
PH	9040B	pH unit	0.01	6.57	7.16	7.26
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	826	772	757
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	6.6	4.7	6.6
Dilution Factor				20	20	12.5
CHLORIDE CL^-	300.0	mg/L	0.2	133	101	98.8
NITRATE AS N	300.0	mg/L	0.04	16.8	13.4	13.2
SULFATE SO_4^{--}	300.0	mg/L	0.5	187	160	136
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	0.1	15.0	11.0	10.1
LEAD	200.8	µg/L	0.12	<0.12	<0.12	<0.12
Dilution Factor				1	1	1
ARSENIC	200.9	µg/L	5	<5	2.6J	2.9J
Dilution Factor				1	1	1
CALCIUM	200.7	µg/L	200	139,000	138,000	115,000
IRON	200.7	µg/L	50	916	123	115
MAGNESIUM	200.7	µg/L	100	45,900	50,000	48,900
POTASSIUM	200.7	µg/L	400	2,890	2,700	3,480
SODIUM	200.7	µg/L	2000	51,700	34,100	43,100
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	0.4J	0.4J
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-14-1 04-02845-8	MW-14-2 04-02845-9	MW-14-3 04-02845-10
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	0.4J	0.4J	0.3J
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	4.5	0.8
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-14-4 04-02845-11	MW-14-5 04-02845-12	TB-6-5/6/04 04-02845-13
BICARBONATE	SM2320B	mg/L	2	154	132	-
CARBONATE	SM2320B	mg-$CaCO_3$/L	2	<2	<2	-
PH	9040B	pH unit	0.01	7.43	7.96	-
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	371	212	-
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	-
Dilution Factor				1	1	1
PERCHLORATE	314.0	µg/L	4	8.0	<4	-
Dilution Factor				8	2	1
CHLORIDE CL^-	300.0	mg/L	0.2	41.4	12.3	-
NITRATE N-NO_3^- AS N	300.0	mg/L	0.04	10.7	0.12	-
SULFATE SO_4^{--}	300.0	mg/L	0.5	34.2	17.2	-
Dilution Factor				1	1	1
CHROMIUM	200.8	µg/L	0.1	9.2	5.8	-
LEAD	200.8	µg/L	0.12	<0.12	<0.12	-
Dilution Factor				1	1	1
ARSENIC	200.9	µg/L	5	<5	3.2J	-
Dilution Factor				1	1	1
CALCIUM	200.7	µg/L	200	58,000	18,200	-
IRON	200.7	µg/L	50	83.5	467	-
MAGNESIUM	200.7	µg/L	100	20,600	13,000	-
POTASSIUM	200.7	µg/L	400	2,140	1,940	-
SODIUM	200.7	µg/L	2000	29,900	31,000	-
VOLATILE ORGANIC COMPOUNDS						
Dilution Factor				1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-14-4 04-02845-11	MW-14-5 04-02845-12	TB-6-5/6/04 04-02845-13
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit
N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.
J: Reported between PQL and MDL.
Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & CH Laboratories

Applied P & CH Laboratories
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Case Narrative

Project: JPL GW Mon 2Q04/MW-3 MW-14/4-12812

For GEOFON, Inc.

APCL Service No: 04-2845

1. Sample Identification

The sample identifications are listed in the following table:

GEOFON, Inc. Sample ID	APCL Sample ID
MW-3-5	04-02845-7
MW-3-4	04-02845-6
MW-3-3	04-02845-5
MW-3-2	04-02845-4
MW-3-1	04-02845-3
EB-6-5/6/04	04-02845-2
TB-6-5/6/04	04-02845-13
Dupe-1-2Q04	04-02845-1
MW-14-5	04-02845-12
MW-14-4	04-02845-11
MW-14-3	04-02845-10
MW-14-2	04-02845-9
MW-14-1	04-02845-8

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),
7196A (Chromium (VI)),
314.0 (Perchlorate, low level),
300.0 (Anions, by IC),
SM2320B (Carbonate),
9040B (pH),
160.1 (Solids, Total Dissolved (TDS)),
200.7 (Metals, by ICP),
200.9 (Arsenic, As, by GFAA),
200.8 (Chromium, Lead by ICPMS),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

(1) 200.8:

Chromium in the amounts ranging from 0.126 ug/L through 0.232 ug/L was detected in the CCBs associated with the samples. The values were higher than 0.1 ug/L reporting limit. Chromium in the amount of 0.11 ug/L was also detected in the associated Method Blank. Chromium was detected in the most of the field samples in the amounts significantly exceeding the reporting limit. The concentration in the sample EB-6-5/6/04 was 0.55 ug/L.

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & CH Laboratories

GEOFON INCORPORATED
22632 GOLDEN SPRINGS DR., SUITE 270
DIAMOND BAR, CA 91765 • (909) 396-7662 • FAX (909) 396-1455

CHAIN-OF-CUSTODY RECORD

MW-3

LABORATORY COPY

0098

GEOFON'S LAB COORDINATOR: Scott Buhmer	LAB COORDINATOR'S PHONE: 909 396 7662	LAB COORDINATOR'S FAX: 909 396 1455	LABORATORY SERVICE ID	LABORATORY CONTACT: Kenny Chan	MAIL REPORT (COMPANY NAME): GEOFON
PROJECT NAME: SPL Cell Mon 2004	PROJECT LOCATION: MW-3	PROJECT NUMBER: 4-12812	LABORATORY PHONE: 909 590 1828	LABORATORY FAX: 909 590 1498	RECIPIENT NAME: Tony Faud
PROJECT CONTACT: J. A. Jones	PROJECT PHONE NUMBER: 714 920 8729	PROJECT FAX: 909 396 1455	LABORATORY ADDRESS: 13760 Magnolia Ave.		ADDRESS: 22632 Golden Springs Dr., Ste 270
PROJECT ADDRESS: 4800 Oak Grove Dr.	CITY, STATE AND ZIPCODE: Pasadena, CA	CLIENT: NAVY - SWDIV	CITY, STATE AND ZIPCODE: Chino, CA		CITY, STATE AND ZIPCODE: Diamond Bar, CA 91765
PROJECT MANAGER: Tony Faud	PROJECT MANAGER'S PHONE: 909 396 7662	PROJECT MANAGER'S FAX: 909 396 1455			

Item	Sample Identifier	Matrix	Date	Time	Preserved	# of Cont	QC Level	T.A.T	Analyses: 8260.2 (VOCs)	7196.2 (Cr(VI))	314.0 (ClO4)	200.8 (Cr)	pH, TDS, HCO3, CO3	200.7 (Na, K, Ca, Mg)	200.8 (Pb)	300.0 (NO3, SO4, Cl)			Comments
1	MW-3-5	W	5/6/04	0721	HCl HNO3 None	6	III	Normal	X	X	X	X	X	X					
2	MW-3-4	↓	↓	0815	↓	↓	↓	↓	X	X	X	X	X	X					
3	MW-3-3			0845					X	X	X	X	X	X					
4	MW-3-2			0915					X	X	X	X	X	X					
5	MW-3-1			0947					X	X	X	X	X	X					
6	EB-6-5/6/04			0907	↓	↓			X	X	X	X	X	X					
7	TB-6-5/6/04			—	HCl	2	↓		X										
8	Dupe-1-2004	↓	↓	—	HCl HNO3 None	6	IV	↓	X	X	X	X	X	X					
9								9.D. 9 days											
10								5.6.04											

2845

SAMPLES COLLECTED BY: MM + JJ

COURIER AND AIR BILL NUMBER:

COOLER TEMPERATURE UPON RECEIPT

RELINQUISHED BY	RECEIVED BY	DATE	TIME	SAMPLE'S CONDITION UPON RECEIPT
[illegible]	[illegible]	5/6/04	1300	
[illegible]	[illegible]	5/6/04	1650	

Distribution: White - Laboratory (To be returned with Analytical Report); Goldenrod - Project File; Yellow - Project Data Manager

Applied P & Ch Laboratory
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Receiving Checklist

APCL ServiceID: 2845 **Client Name/Project:** Geofon JPL

1. Sample Arrival

Date/Time Received 5/6/04 1650 Date/Time Opened 5/6/04 1650 By (name): Kenny Chan

Custody Transfer: ☐ Client ☐ Golden State ☐ UPS ☐ US Mail ☐ FedEx ☑ APCL Empl: Adam Wood

2. Chain-of-Custody (CoC)

☑ With Samples? ☐ Faxed? ☑ Client has Copy? ☐ Signed, dated? By:

☑ Project ID? ☑ Analyses Clear? ☐ Hold Samples? #on Hold ____ # Received 13

☐ CoC/Docs Zip-Locked under lid? ☐ Compos.#: ☑ #Samples OK?

☐ Discrepancies? ☐ Client notified? ☐ Response (attach docs):

3. Shipping Container/Cooler

☑ Cooler Used? # of 1 Cooled by: ☑ Ice ☐ Blue Ice ☐ Dry Ice ☐ None

Temp °C 5.8

(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).

Cooler Custody Seal? ☐ Absent ☐ Intact ☐ Tampered?

4. Sample Preservation

☐ **pH <2** ☐ pH >12

If Not, pH = ____ Preserved by: ☐ Client ☐ APCL ☐ Third Party

5. Holding-time Requirements

☑ pH 24hr ☐ BACT 6/24hr ☑ Cr^{VI} 24hr ☑ NO_3^- 48hr ☐ BOD 48hr

☐ Cl_2 ASAP ☐ Turbidity 48hr ☐ DO ASAP ☐ Fe(II) ASAP

☐ HT Expired? ☐ Client notified?

6. Sample Container Condition

☑ Intact? ☐ Broken? ☐ Documented? Number: ____

Type: ☑ plastic ☑ glass ☐ Tube: brass/SS ☐ Tedlar Bag

☑ Quantity OK? ☐ Leaking? ☐ Anomaly?

☑ Caps tight? ☐ Air Bubbles? ☐ Anomaly?

Labels: ☑ Unique ID? ☑ Date/Time ☐ Preserved?

7. Turn Around Time

☐ RUSH TAT: ____ ☑ Std (7-10 days) ☐ Not Marked

8. Sample Matrix

☐ Drinking H_2O ☐ Other Liq ☐ Soil ☐ Wipe ☐ Polymer ☐ Air ☐ Other: ____

☑ Ground H_2O ☐ Sludge ☐ Filter ☐ Oil/Petro ☐ Paint ☐ W. Water ☐ Extract ☐ Unknown

9. Pre-Login Check List Completed & OK?

☑ ALL OK? (if not, attach docs) ☐ Client Contact? (Name:____)Date/Time:____

Received/Checked by: Kenny Chan Printed: 6 May 2004 7:20 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

DocumentFile: |neal.texfiles|amprcl.tex.

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

04-02845 (0470_ 229) (2202777_ 229)

05/06/04

Part 1: General Information

☐	Company Information	Name:	*GEOFON, Inc.*
		Address:	*22632 Golden Spring Dr Ste 270 ,Diamond Bar ,CA 91765*
☐	Project Information	Project Description:	*JPL GW Mon 2Q04*
			MW-3 MW-14
		Project #:	*4-12812*
☐	Billing Information	P.O. #:	
		Bill Address:	*22632 Golden Spring Dr Ste 270 ,Diamond Bar ,CA 91765*
		Lab Project ID:	*2000_0026*
		Client Database #:	*02*
☐	Receiving Information	Who Received Sample?	*Kenny Chan*
		Receiving Date/Time:	*05/06/04 1650*
		COC No.	
☐	Shipping Information	Shipping Company	*APCL pick up*
		Packing Information:	*Cooler/Ice Chester*
		Cooler Temperature:	*5.8 °C*
☐	Container Information	Container Provider:	*Client*
☐	Sampling Information	Sampling Person:	*MM/JJ*
		Sampling Company:	*Client*
☐	Turn-Around-Time Option:		*Normal*
☐	QC Option:		*NEESA D*
☐	Disposal Option:		*Not specify*

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont-tainer	Preser-vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days	
1	MW-3-5	VOC	04-02845-7-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-3-5	pH/TDS	04-02845-7-β	W	P		500	1	G	050604	N	0	9	☐
	MW-3-5	300	04-02845-7-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-3-5	MET	04-02845-7-δ	W	P	N	500	1	G	050604	N	0	9	☐
2	MW-3-4	VOC	04-02845-6-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-3-4	pH/TDS	04-02845-6-β	W	P		500	1	G	050604	N	0	9	☐
	MW-3-4	300	04-02845-6-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-3-4	MET	04-02845-6-δ	W	P	N	500	1	G	050604	N	0	9	☐
3	MW-3-3	VOC	04-02845-5-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-3-3	pH/TDS	04-02845-5-β	W	P		500	1	G	050604	N	0	9	☐
	MW-3-3	300	04-02845-5-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-3-3	MET	04-02845-5-δ	W	P	N	500	1	G	050604	N	0	9	☐
4	MW-3-2	VOC	04-02845-4-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-3-2	pH/TDS	04-02845-4-β	W	P		500	1	G	050604	N	0	9	☐
	MW-3-2	300	04-02845-4-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-3-2	MET	04-02845-4-δ	W	P	N	500	1	G	050604	N	0	9	☐
5	MW-3-1	VOC	04-02845-3-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-3-1	pH/TDS	04-02845-3-β	W	P		500	1	G	050604	N	0	9	☐
	MW-3-1	300	04-02845-3-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-3-1	MET	04-02845-3-δ	W	P	N	500	1	G	050604	N	0	9	☐
6	EB-6-5/6/04	VOC	04-02845-2-α	W	V	C	40	3	G	050604	N	0	9	☐
	EB-6-5/6/04	pH/TDS	04-02845-2-β	W	P		500	1	G	050604	N	0	9	☐
	EB-6-5/6/04	300	04-02845-2-γ	W	P		500	1	G	050604	N	0	9	☐
	EB-6-5/6/04	MET	04-02845-2-δ	W	P	N	500	1	G	050604	N	0	9	☐
7	TB-6-5/6/04	VOC	04-02845-13	W	V	C	40	3	G	050604	N	0	9	☐
8	Dupe-1-2Q04	VOC	04-02845-1-α	W	V	C	40	3	G	050604	N	0	9	☐
	Dupe-1-2Q04	pH/TDS	04-02845-1-β	W	P		500	1	G	050604	N	0	9	☐
	Dupe-1-2Q04	300	04-02845-1-γ	W	P		500	1	G	050604	N	0	9	☐
	Dupe-1-2Q04	MET	04-02845-1-δ	W	P	N	500	1	G	050604	N	0	9	☐
9	MW-14-5	VOC	04-02845-12-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-14-5	pH/TDS	04-02845-12-β	W	P		500	1	G	050604	N	0	9	☐
	MW-14-5	300	04-02845-12-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-14-5	MET	04-02845-12-δ	W	P	N	500	1	G	050604	N	0	9	☐
10	MW-14-4	VOC	04-02845-11-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-14-4	pH/TDS	04-02845-11-β	W	P		500	1	G	050604	N	0	9	☐
	MW-14-4	300	04-02845-11-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-14-4	MET	04-02845-11-δ	W	P	N	500	1	G	050604	N	0	9	☐
11	MW-14-3	VOC	04-02845-10-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-14-3	pH/TDS	04-02845-10-β	W	P		500	1	G	050604	N	0	9	☐
	MW-14-3	300	04-02845-10-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-14-3	MET	04-02845-10-δ	W	P	N	500	1	G	050604	N	0	9	☐
12	MW-14-2	VOC	04-02845-9-α	W	V	C	40	3	G	050604	N	0	9	☐

	MW-14-2	pH/TDS	04-02845-9-β	W	P		500	1	G	050604	N	0	9	☐
	MW-14-2	300	04-02845-9-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-14-2	MET	04-02845-9-δ	W	P	N	500	1	G	050604	N	0	9	☐
13	MW-14-1	VOC	04-02845-8-α	W	V	C	40	3	G	050604	N	0	9	☐
	MW-14-1	pH/TDS	04-02845-8-β	W	P		500	1	G	050604	N	0	9	☐
	MW-14-1	300	04-02845-8-γ	W	P		500	1	G	050604	N	0	9	☐
	MW-14-1	MET	04-02845-8-δ	W	P	N	500	1	G	050604	N	0	9	☐

Part 3: Analysis Information

Test Items:

- ☐ *524.2* Volatile Organic Compounds
- ☐ *7196A* Chromium (VI)
- ☐ *314.0/300.0* Perchlorate, low level
- ☐ *300.0* Chloride Cl^- by IC
- ☐ *300.0* Sulfate (SO_4^{--}), by IC
- ☐ *300.0/SM4500NO3C* Nitrate (NO_3^-) as N by IC
- ☐ *SM2320B* Carbonate
- ☐ *SM2320B* Bicarbonate
- ☐ *9040B/150.1* pH
- ☐ *160.1* Solids, Total Dissolved (TDS)
- ☐ *200.7/6010B* Sodium, Na, by ICP
- ☐ *200.7/6010B* Calcium, Ca, by ICP
- ☐ *200.7/6010B* Potassium, K, by ICP
- ☐ *200.7/6010B* Magnesium, Mg, by ICP
- ☐ *200.7/6010B* Iron, Fe, by ICP
- ☐ *206.2/7060A* Arsenic, As, by GFAA
- ☐ *8270-SIM* 1,4-Dioxane
- ☐ *200.8* Target Analyte by ICPMS

Seq. #	Client"s Sample ID (as given on COC)	Sample Sub-ID	APCL Sample ID	Matrix	524.2	CHROMIUM	PERCH	CL	SO4	NO3	CARBON	BICARB	
1	MW-3-5	VOC	04-02845-7-α	W	X								☐
	MW-3-5	pH/TDS	04-02845-7-β	W		X	X						☐
	MW-3-5	300	04-02845-7-γ	W				X	X	X	X	X	☐
	MW-3-5	MET	04-02845-7-δ	W									☐
2	MW-3-4	VOC	04-02845-6-α	W	X								☐
	MW-3-4	pH/TDS	04-02845-6-β	W		X	X						☐
	MW-3-4	300	04-02845-6-γ	W				X	X	X	X	X	☐
	MW-3-4	MET	04-02845-6-δ	W									☐

APCL

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel. (909) 590-1828 Fax (909) 590-1498

June 04, 2004

GEOFON, Inc.
Attention: Tony Ford
22632 Golden Spring Dr Ste 270
Diamond Bar CA 91765

Dear Tony,

This package contains samples in our Service ID 04-2865 and your project : 4-12812 JPL GW Mon 2Q04.
Enclosed please find:

(1) Original analytical report.
(2) Original Chain of Custody.
(3) One diskette containing EDD deliverable.
(4) One original Level C Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & CH Laboratories

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
GEOFON, Inc.
Attention: Tony Ford
22632 Golden Spring Dr Ste 270
Diamond Bar CA 91765
Tel: (909)396-7662 Fax: (909)396-1455

Service ID #: 801-042865
Collected by: MM/JJ
Collected on: 05/10/04

Received: 05/10/04
Extracted: N/A
Tested: 05/10-13/04
Reported: 05/18/04

Sample Description: Water from MW-22
Project Description: 4-12812 JPL GW Mon 2Q04

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result Dupe-2-2Q04 04-02865-1	EB-7-5/10/04 04-02865-2	MW-22-1 04-02865-3	MW-22-2 04-02865-4
BICARBONATE	SM2320B	mg/L	2	60.2	<2	250	163
CARBONATE	SM2320B	mg-$CaCO_3$/L	2	55.4	<2	<2	<2
PH	9040B	pH unit	0.01	9.08	6.62	7.29	7.93
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	214	<10	649	292
CHROMIUM (VI)	7196	mg/L	0.01	0.0040J	0.0040J	<0.01	<0.01
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	mg/L	0.004	<0.004	<0.004	<0.004	<0.004
Dilution Factor				2	1.25	20	5
CHLORIDE CL^-	300.0	mg/L	0.2	8.7	0.16J	104	35.9
NITRATE AS N	300.0	mg/L	0.04	<0.08	0.066	10.1	7.1
SULFATE SO_4^{--}	300.0	mg/L	0.5	37.7	<0.63	141	29.3
Dilution Factor				1	1	1	1
CHROMIUM	200.8	µg/L	0.1	4.6	0.34	10.3	7.6
LEAD	200.8	µg/L	0.12	0.039J	0.010J	0.020J	<0.12
Dilution Factor				1	1	1	1
ARSENIC	200.9	µg/L	5	<5	<5	<5	<5
Dilution Factor				1	1	1	1
CALCIUM	200.7	µg/L	200	5,750	<200	122,000	41,900
IRON	200.7	µg/L	50	106	36.8J	1,020	142
MAGNESIUM	200.7	µg/L	100	994	<100	43,900	19,300
POTASSIUM	200.7	µg/L	400	968	140J	2,570	1,940
SODIUM	200.7	µg/L	2000	68,300	1,060J	31,600	27,900
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result Dupe-2-2Q04 04-02865-1	EB-7-5/10/04 04-02865-2	MW-22-1 04-02865-3	MW-22-2 04-02865-4
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	0.5J	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-22-3 04-02865-5	MW-22-4 04-02865-6	MW-22-5 04-02865-7	TB-7-5/10/04 04-02865-8
BICARBONATE	SM2320B	mg/L	2	411	14.9	59.0	-
CARBONATE	SM2320B	mg-$CaCO_3$/L	2	<2	<2	57.8	-
PH	9040B	pH unit	0.01	7.80	7.75	8.90	-
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	322	203	203	-
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	0.0040J	-
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	mg/L	0.004	<0.004	<0.004	<0.004	-
Dilution Factor				5	2	2	1
CHLORIDE CL^-	300.0	mg/L	0.2	37.6	12.3	8.7	-
NITRATE AS N	300.0	mg/L	0.04	7.6	3.9	<0.08	-
SULFATE SO_4^{--}	300.0	mg/L	0.5	38.9	7.9	38.2	-
Dilution Factor				1	1	1	1
CHROMIUM	200.8	µg/L	0.1	8.5	8.1	2.6	-
LEAD	200.8	µg/L	0.12	<0.12	<0.12	0.017J	-
Dilution Factor				1	1	1	1
ARSENIC	200.9	µg/L	5	<5	3.0J	2.7J	-
Dilution Factor				1	1	1	1
CALCIUM	200.7	µg/L	200	48,300	30,300	5,710	-
IRON	200.7	µg/L	50	75.1	168	109	-
MAGNESIUM	200.7	µg/L	100	18,100	9,670	993	-
POTASSIUM	200.7	µg/L	400	2,080	1,400	966	-
SODIUM	200.7	µg/L	2000	37,200	25,000	69,800	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-22-3 04-02865-5	MW-22-4 04-02865-6	MW-22-5 04-02865-7	TB-7-5/10/04 04-02865-8
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit
N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.
J: Reported between PQL and MDL.
Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & CH Laboratories

Applied P & CH Laboratories
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Case Narrative

Project: JPL GW Mon 2Q04/MW-22/4-12812

For GEOFON, Inc.

APCL Service No: 04-2865

1. Sample Identification

The sample identifications are listed in the following table:

GEOFON, Inc. Sample ID	APCL Sample ID
MW-22-5	04-02865-7
MW-22-4	04-02865-6
MW-22-3	04-02865-5
MW-22-2	04-02865-4
MW-22-1	04-02865-3
EB-7-5/10/04	04-02865-2
TB-7-5/10/04	04-02865-8
Dupe-2-2Q04	04-02865-1

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),
7196A (Chromium (VI)),
314.0 (Perchlorate, low level),
300.0 (Anions, by IC),
SM2320B (Carbonate),
9040B (pH),
160.1 (Solids, Total Dissolved (TDS)),
200.7 (Metals, by ICP),
200.9 (Arsenic, As, by GFAA),
200.8 (Chromium, Lead by ICPMS),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & CH Laboratories

GEOFON INCORPORATED
22632 GOLDEN SPRINGS DR., SUITE 270
DIAMOND BAR, CA 91765 • (909) 396-7662 • FAX (909) 396-1455

CHAIN-OF-CUSTODY RECORD

MW-22

LABORATORY COPY

0100

GEOFON's LAB COORDINATOR: Scott Brehmer	LAB COORDINATOR'S PHONE: 909 396 7662	LAB COORDINATOR'S FAX: 909 396 1455	LABORATORY SERVICE ID:	LABORATORY CONTACT: Henry Chan	MAIL REPORT (COMPANY NAME): GEOFON
PROJECT NAME: JPL Cal Mon 2004	PROJECT LOCATION: MW-22	PROJECT NUMBER: 4-12812	LABORATORY PHONE: 909 590 1828	LABORATORY FAX: 909 590 1498	RECIPIENT NAME: Tony Ford
PROJECT CONTACT: J. D. Jones	PROJECT PHONE NUMBER: 714 920 8729	PROJECT FAX: 909 396 1455	LABORATORY ADDRESS: 13760 Magnolia Ave.		ADDRESS: 22632 Golden Springs Dr., Ste 270
PROJECT ADDRESS: 4800 Oak Grove	CITY, STATE AND ZIPCODE: Pasadena, CA	CLIENT: Navy - SWDIV	CITY, STATE AND ZIPCODE: Chino, CA 91710		CITY, STATE AND ZIPCODE: Diamond Bar, CA 91765
PROJECT MANAGER: Tony Ford	PROJECT MANAGER'S PHONE: 909 396 7662	PROJECT MANAGER'S FAX: 909 396 1455			

Item	Sample Identifier	Matrix	Date	Time	Preserved	# of Cont.	QC Level	T.A.T.	Analyses: 8260 (VOCs)	7196 (Cr6), 1664, 335.0 (CN), 300.0 (Cl, F, SO4), 200.8 (Cu)	pH, TDS, CO3, HCO3	200.7 (Na, K, Ca, Mg, Fe), 200.9 (As), 200.8 (Pb)			Comments
1	MW-22-5	W	5/10/04	0727	HCl HNO3 None	2 5	III	Normal	X	X	X	X	X		
2	MW-22-4			0841					X	X	X	X	X		
3	MW-22-3			0919					X	X	X	X	X		
4	MW-22-2			0947					X	X	X	X	X		
5	MW-22-1			1015					X	X	X	X	X		
6	EB-1-5/10/04			0902					X	X	X	X	X		
7	TB-1-5/10/04			—	HCl	2			X						
8	Dupe-2-2004			—	HCl HNO3 None	2 5	IV		X	X	X	X	X		
9															
10															

865

SAMPLES COLLECTED BY: MM & JJ

COURIER AND AIR BILL NUMBER:

COOLER TEMPERATURE UPON RECEIPT

SAMPLE'S CONDITION UPON RECEIPT

RELINQUISHED BY	RECEIVED BY	DATE	TIME
J. D. Jones	[signature]	5-10-04	11:25
[signature]	[signature]	5-10-04	12:07

Distribution: White - Laboratory (To be returned with Analytical Report); Goldenrod - Project File; Yellow - Project Data Manager

Applied P & Ch Laboratory
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Receiving Checklist

APCL ServiceID: 2865 **Client Name/Project:** Geotor JPL

1. Sample Arrival

Date/Time Received 5/10/04 1207 Date/Time Opened 5/10/04 1207 By (name): Kenny Chan

Custody Transfer: ☐ Client ☐ Golden State ☐ UPS ☐ US Mail ☐ FedEx ☑ APCL Empl: Richard Simon

2. Chain-of-Custody (CoC)

☑ With Samples? ☐ Faxed? ☑ Client has Copy? ☐ Signed, dated? By: ____
☑ Project ID? ☑ Analyses Clear? ☐ Hold Samples? #on Hold ____ # Received 8
☐ CoC/Docs Zip-Locked under lid? ☐ Compos.#: ___ ☑ #Samples OK? ____
☐ Discrepancies? ☐ Client notified? ☐ Response (attach docs): ____

3. Shipping Container/Cooler

☑ Cooler Used? # of 1 Cooled by: ☑ Ice ☐ Blue Ice ☐ Dry Ice ☐ None

Temp °C 30 ____ ____ ____ ____ ____

(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).

Cooler Custody Seal? ☐ Absent ☐ Intact ☐ Tampered?

4. Sample Preservation

☐ **pH <2** ☐ pH >12

If Not, pH = ____ Preserved by: ☐ Client ☐ APCL ☐ Third Party ____

5. Holding-time Requirements

☑ pH 24hr ☐ BACT 6/24hr ☑ Cr^{VI} 24hr ☑ NO_3^- 48hr ☐ BOD 48hr
☐ Cl_2 ASAP ☐ Turbidity 48hr ☐ DO ASAP ☐ Fe(II) ASAP
☐ HT Expired? ☐ Client notified?

6. Sample Container Condition

☑ Intact? ☐ Broken? ☐ Documented? Number: ____

Type: ☑ plastic ☑ glass ☐ Tube: brass/SS ☐ Tedlar Bag
☑ Quantity OK? ☐ Leaking? ☐ Anomaly?
☑ Caps tight? ☐ Air Bubbles? ☐ Anomaly?

Labels: ☑ Unique ID? ☑ Date/Time ☐ Preserved?

7. Turn Around Time

☐ RUSH TAT: ____ ☑ Std (7-10 days) ☐ Not Marked

8. Sample Matrix

☐ Drinking H_2O ☐ Other Liq ☐ Soil ☐ Wipe ☐ Polymer ☐ Air ☐ Other: ____
☑ Ground H_2O ☐ Sludge ☐ Filter ☐ Oil/Petro ☐ Paint ☐ W. Water ☐ Extract ☐ Unknown

9. Pre-Login Check List Completed & OK?

☑ ALL OK? (if not, attach docs) ☐ Client Contact? (Name:____)Date/Time:____

Received/Checked by: Kenny Chan Printed: 10 May 2004 7:28 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

DocumentFile: [neal.texfiles]smprcl.tex.

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

04-02865 (0470_ 230) (2202777_ 230)

05/10/04

Part 1: General Information

☐	Company Information	Name:	*GEOFON, Inc.*
		Address:	*22632 Golden Spring Dr Ste 270 ,Diamond Bar ,CA 91765*
☐	Project Information	Project Description:	*JPL GW Mon 2Q04*
			MW-22
		Project #:	*4-12812*
☐	Billing Information	P.O. #:	
		Bill Address:	*22632 Golden Spring Dr Ste 270 ,Diamond Bar ,CA 91765*
		Lab Project ID:	
		Client Database #:	*3*
☐	Receiving Information	Who Received Sample?	*Kenny Chan*
		Receiving Date/Time:	*05/10/04 1207*
		COC No.	
☐	Shipping Information	Shipping Company	*APCL pick up*
		Packing Information:	*Cooler/Ice Chester*
		Cooler Temperature:	*3.0 °C*
☐	Container Information	Container Provider:	*Client*
☐	Sampling Information	Sampling Person:	*MM/JJ*
		Sampling Company:	*Client*
☐	Turn-Around-Time Option:		*Normal*
☐	QC Option:		*NEESA D*
☐	Disposal Option:		*Not specify*

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont-tainer	Preser-vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days	
1	MW-22-5	WET	04-02865-7-α	W	P		1000	1	G	051004	N	0	9	☐
	MW-22-5	VOC	04-02865-7-β	W	V	C	40	3	G	051004	N	0	9	☐
	MW-22-5	MET	04-02865-7-γ	W	P	N	500	1	G	051004	N	0	9	☐
2	MW-22-4	WET	04-02865-6-α	W	P		1000	1	G	051004	N	0	9	☐
	MW-22-4	VOC	04-02865-6-β	W	V	C	40	3	G	051004	N	0	9	☐
	MW-22-4	MET	04-02865-6-γ	W	P	N	500	1	G	051004	N	0	9	☐
3	MW-22-3	WET	04-02865-5-α	W	P		1000	1	G	051004	N	0	9	☐
	MW-22-3	VOC	04-02865-5-β	W	V	C	40	3	G	051004	N	0	9	☐
	MW-22-3	MET	04-02865-5-γ	W	P	N	500	1	G	051004	N	0	9	☐
4	MW-22-2	WET	04-02865-4-α	W	P		1000	1	G	051004	N	0	9	☐
	MW-22-2	VOC	04-02865-4-β	W	V	C	40	3	G	051004	N	0	9	☐
	MW-22-2	MET	04-02865-4-γ	W	P	N	500	1	G	051004	N	0	9	☐
5	MW-22-1	WET	04-02865-3-α	W	P		1000	1	G	051004	N	0	9	☐
	MW-22-1	VOC	04-02865-3-β	W	V	C	40	3	G	051004	N	0	9	☐
	MW-22-1	MET	04-02865-3-γ	W	P	N	500	1	G	051004	N	0	9	☐
6	EB-7-5/10/04	WET	04-02865-2-α	W	P		1000	1	G	051004	N	0	9	☐
	EB-7-5/10/04	VOC	04-02865-2-β	W	V	C	40	3	G	051004	N	0	9	☐
	EB-7-5/10/04	MET	04-02865-2-γ	W	P	N	500	1	G	051004	N	0	9	☐
7	TB-7-5/10/04	VOC	04-02865-8	W	V	C	40	2	G	051004	N	0	9	☐
8	Dupe-2-2Q04	WET	04-02865-1-α	W	P	N	1000	1	G	051004	N	0	9	☐
	Dupe-2-2Q04	VOC	04-02865-1-β	W	V	C	40	3	G	051004	N	0	9	☐
	Dupe-2-2Q04	MET	04-02865-1-γ	W	P	N	500	1	G	051004	N	0	9	☐

Part 3: Analysis Information

Test Items:

- ☐ *524.2* Volatile Organic Compounds
- ☐ *7196A* Chromium (VI)
- ☐ *314.0/300.0* Perchlorate, low level
- ☐ *300.0* Chloride Cl^- by IC
- ☐ *300.0* Sulfate (SO_4^{--}), by IC
- ☐ *300.0/SM4500NO3C* Nitrate (NO_3^-) as N by IC
- ☐ *SM2320B* Carbonate
- ☐ *SM2320B* Bicarbonate
- ☐ *9040B/150.1* pH
- ☐ *160.1* Solids, Total Dissolved (TDS)
- ☐ *200.7/6010B* Sodium, Na, by ICP
- ☐ *200.7/6010B* Calcium, Ca, by ICP

APCL

Applied Physics & Chemistry Laboratory

13760 Magnolia Ave. Chino CA 91710
Tel. (909) 590-1828 Fax (909) 590-1498

June 11, 2004

GEOFON, Inc.
Attention: Tony Ford
22632 Golden Spring Dr Ste 270
Diamond Bar CA 91765

Dear Tony,

This package contains samples in our Service ID 04-2885 and your project : 4-12812 JPL GW Mon 2Q04.
Enclosed please find:

(1) Original analytical report.
(2) Original Chain of Custody.
(3) One diskette containing EDD deliverable.
(4) One original Level C Data Package Deliverable.

If anything is missing or you have any questions, please feel free to contact me.

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & CH Laboratories

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Submitted to:
GEOFON, Inc.
Attention: Tony Ford
22632 Golden Spring Dr Ste 270
Diamond Bar CA 91765
Tel: (909)396-7662 Fax: (909)396-1455

Service ID #: 801-042885
Collected by: JJ/MM
Collected on: 05/11/04

Received: 05/11/04
Extracted: 05/12/04
Tested: 05/11-15/04
Reported: 05/20/04

Sample Description: Water from MW-4
Project Description: 4-12812 JPL GW Mon 2Q04

Analysis of Water Samples

Component Analyzed	Method	Unit	PQL	Analysis Result DUPE-3-2Q04 04-02885-1	EB-8-5/11/04 04-02885-2	MW-4-1 04-02885-3	MW-4-2 04-02885-4
BICARBONATE	SM2320B	mg/L	2	230	<2	165	228
CARBONATE	SM2320B	mg-$CaCO_3$/L	2	<2	<2	<2	<2
PH	9040B	pH unit	0.01	7.20	6.78	7.16	7.07
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	624	<10	245	556
CHROMIUM (VI)	7196	mg/L	0.01	0.0060J	<0.01	0.0060J	0.0040J
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	<4
Dilution Factor				20	1.25	2	20
CHLORIDE CL^-	300.0	mg/L	0.2	97.1	0.069J	12.1	97.3
NITRATE AS N	300.0	mg/L	0.04	9.1	0.049J	0.054J	9.2
SULFATE SO_4^{--}	300.0	mg/L	0.5	119	<0.63	37.9	118
Dilution Factor				1.25	1	1.25	1.25
CHROMIUM	200.8	µg/L	0.1	4.3	0.27	0.60	3.8
LEAD	200.8	µg/L	0.12	0.082J	0.033J	0.33	0.27
Dilution Factor				1	1	1	1
ARSENIC	200.9	µg/L	5	<5	<5	<5	<5
Dilution Factor				1	1	1	1
CALCIUM	200.7	µg/L	200	115,000	<200	45,700	115,000
IRON	200.7	µg/L	50	597	<50	1,320	850
MAGNESIUM	200.7	µg/L	100	39,600	18.9J	14,900	39,900
POTASSIUM	200.7	µg/L	400	3,090	152J	2,260	3,110
SODIUM	200.7	µg/L	2000	33,100	1,180J	17,400	33,300
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	0.5J	<0.5	<0.5	0.3J

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result DUPE-3-2Q04 04-02885-1	EB-8-5/11/04 04-02885-2	MW-4-1 04-02885-3	MW-4-2 04-02885-4
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	0.7	<0.5	<0.5	0.4J
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	1.5	<0.5	<0.5	0.8
TOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	1.3	<0.5	<0.5	0.7
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	0.8	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-4-3 04-02885-5	MW-4-4 04-02885-6	MW-4-5 04-02885-7	TB-8-5/11/04 04-02885-8
BICARBONATE	SM2320B	mg/L	2	184	151	132	-
CARBONATE	SM2320B	mg-$CaCO_3$/L	2	<2	<2	2.4	-
PH	9040B	pH unit	0.01	7.50	7.86	8.23	-
SOLIDS, TOTAL DISSOLVED (TDS)	160.1	mg/L	10	199	190	157	-
CHROMIUM (VI)	7196	mg/L	0.01	<0.01	<0.01	<0.01	-
Dilution Factor				1	1	1	1
PERCHLORATE	314.0	µg/L	4	<4	<4	<4	-
Dilution Factor				4	4	4	1
CHLORIDE CL^-	300.0	mg/L	0.2	23.3	20.3	20.1	-
NITRATE AS N	300.0	mg/L	0.04	0.11J	0.82	<0.16	-
SULFATE SO_4^{--}	300.0	mg/L	0.5	1.4J	7.5	6.9	-
Dilution Factor				1.25	1.25	1.25	1
CHROMIUM	200.8	µg/L	0.1	0.21	1.1	6.6	-
LEAD	200.8	µg/L	0.12	0.43	0.31	0.23	-
Dilution Factor				1	1	1	1
ARSENIC	200.9	µg/L	5	<5	<5	<5	-
Dilution Factor				1	1	1	1
CALCIUM	200.7	µg/L	200	32,100	23,100	16,200	-
IRON	200.7	µg/L	50	4,480	691	17,500	-
MAGNESIUM	200.7	µg/L	100	14,400	11,300	10,500	-
POTASSIUM	200.7	µg/L	400	2,370	1,910	1,800	-
SODIUM	200.7	µg/L	2000	33,600	36,700	33,800	-
VOLATILE ORGANIC COMPOUNDS							
Dilution Factor				1	1	1	1
BENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOCHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMODICHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
BROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
SEC-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TERT-BUTYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-BUTANONE	524.2	µg/L	10	<10	<10	<10	<10
CARBON TETRACHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLORODIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROFORM	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CHLOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
4-CHLOROTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMO-3-CHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DIBROMOETHANE (EDB)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DIBROMOMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,4-DICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
DICHLORODIFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-4-3 04-02885-5	MW-4-4 04-02885-6	MW-4-5 04-02885-7	TB-8-5/11/04 04-02885-8
TRANS-1,2-DICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
2,2-DICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
CIS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRANS-1,3-DICHLOROPROPENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ETHYLBENZENE	524.2	µg/L	0.5	4.1	<0.5	0.3J	<0.5
HEXACHLOROBUTADIENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
ISOPROPYLBENZENE (CUMENE)	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
P-ISOPROPYLTOLUENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYLENE CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
METHYL-T-BUTYL ETHER (MTBE)	524.2	µg/L	1	<1	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	524.2	µg/L	10	<10	<10	<10	<10
NAPHTHALENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
N-PROPYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
STYRENE	524.2	µg/L	0.5	0.6	<0.5	<0.5	<0.5
1,1,1,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2,2-TETRACHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TETRACHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TOLUENE	524.2	µg/L	0.5	0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRICHLOROBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,1-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,1,2-TRICHLOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROETHENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
TRICHLOROFLUOROMETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,3-TRICHLOROPROPANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
112TRICHLORO-122TRIFLUOROETHANE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
1,3,5-TRIMETHYLBENZENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
VINYL CHLORIDE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
O-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5
M/P-XYLENE	524.2	µg/L	0.5	<0.5	<0.5	<0.5	<0.5

Applied P & CH Laboratories
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

APCL Analytical Report

Component Analyzed	Method	Unit	PQL	Analysis Result MW-4-1 04-02885-3
Dilution Factor				1
1,4-DIOXANE (P-DIOXANE)	8270-SIM	μg/L	1	<1

PQL: Practical Quantitation Limit. MDL: Method Detection Limit. CRDL: Contract Required Detection Limit
N.D.: Not Detected or less than the practical quantitation limit. "-": Analysis is not required.
J: Reported between PQL and MDL.
Listed Dilution Factors (DF) are relative to the method default DF. All unlisted DFs are 1.0

Respectfully submitted,

Dominic Lau
Laboratory Director
Applied P & CH Laboratories

Applied P & CH Laboratories
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Case Narrative

Project: JPL GW Mon 2Q04/MW-4/4-12812

For GEOFON, Inc.

APCL Service No: 04-2885

1. Sample Identification

The sample identifications are listed in the following table:

GEOFON, Inc. Sample ID	APCL Sample ID
MW-4-5	04-02885-7
MW-4-4	04-02885-6
MW-4-3	04-02885-5
MW-4-2	04-02885-4
MW-4-1	04-02885-3
EB-8-5/11/04	04-02885-2
TB-8-5/11/04	04-02885-8
DUPE-3-2Q04	04-02885-1

2. Analytical Methodology

Samples are analyzed by EPA methods

524.2 (Volatile Organic Compounds),
7196A (Chromium (VI)),
314.0 (Perchlorate, low level),
300.0 (Anions, by IC),
SM2320B (Carbonate),
9040B (pH),
160.1 (Solids, Total Dissolved (TDS)),
200.7 (Metals, by ICP),
200.9 (Arsenic, As, by GFAA),
200.8 (Chromium, Lead, by ICPMS),
8270-SIM (1,4-Dioxane),

3. Holding Time

All samples were extracted, digested and analyzed within the holding times defined by the appropriate EPA methods of the analyses.

4. Preservation

All samples were preserved and stored according to the appropriate EPA methods.

5. Tele-log

None

6. Anomaly

None

"I certify that these data are technically accurate, complete, and in compliance with the terms and conditions of the contract, for other than the conditions detailed above. Release of the data contained in the hardcopy data package and its electronic data deliverable submitted on diskette had been authorized by the Laboratory Manager or her/his designee, as verified by the following signature."

Respectfully submitted,

Regina Kirakozova
Associate QA/QC Director
Applied P & CH Laboratories

GEOFON INCORPORATED
22632 GOLDEN SPRINGS DR., SUITE 270
DIAMOND BAR, CA 91765 • (909) 396-7662 • FAX (909) 396-1455

CHAIN-OF-CUSTODY RECORD

LABORATORY COPY

MW-4 + MW-17-4

001

GEOFON's LAB COORDINATOR	LAB COORDINATOR'S PHONE	LAB COORDINATOR'S FAX	LABORATORY SERVICE ID	LABORATORY CONTACT	MAIL REPORT (COMPANY NAME)
Scott Buchner	909 396 7662	909 396 1455		Kenny Chan	GEOFON
PROJECT NAME: JPL-GW Mon 2004	PROJECT LOCATION: MW-4	PROJECT NUMBER: 4-12812	LABORATORY PHONE: 909 590 1828	LABORATORY FAX: 909 590 1498	RECIPIENT NAME: Tony Ford
PROJECT CONTACT: J. D. Jones	PROJECT PHONE NUMBER: 714 920 8729	PROJECT FAX: 909 396 1455	LABORATORY ADDRESS: 13760 Magnolia Ave		ADDRESS: 22632 Golden Springs Dr., Ste 270
PROJECT ADDRESS: 4800 Oak Grove Dr.	CITY, STATE AND ZIPCODE: Pasadena, CA	CLIENT: NAVY - SWDIV	CITY, STATE AND ZIPCODE: Chino, CA 91710		CITY, STATE AND ZIPCODE: Diamond Bar, CA 91765
PROJECT MANAGER: Tony Ford	PROJECT MANAGER'S PHONE: 909 396 7662	PROJECT MANAGER'S FAX: 909 396 1455			

Item	Sample Identifier	Matrix	Date	Time	Preserved	# of Cont	QC Level	T.A.T	524.2 (VOCs)	314.0 (ClO4)	200.8 (Cr)	7196 (Cr(VI))	Lead (200.8), As (200.9)	200.9 (Perchlorate)	NDMA	pH, TDS, HCO3, CO3	200.7 (Na, K, Ca, Mg, Si, Fe)	300.0 (Mg, SO4, Cl)	Comments
1	MW-4-5	W	5/11/04	0717	HCl None HNO3	9 5.11.04	III	Normal	X	X	X	X	X		X	X	X	X	
2	MW-4-4			0806					X	X	X	X	X			X	X	X	
3	MW-4-3			0838					X	X	X	X	X			X	X	X	
4	MW-4-2			0906					X	X	X	X	X			X	X	X	
5	MW-4-1			0953		88			X	X	X	X	X	X	X	X	X	X	
6	EB-8-5/11/04			0942		5			X	X	X	X	X			X	X	X	
7	TB-8-5/11/04			—	HCl	2			X										
8	Dupe-3-2004			—	HCl HNO3 None	9 5.11.04	VI		X	X	X	X	X			X	X	X	
9	MW-17-4			1210	None	2	III								X				Only NDMA
10																			

9.0.90 5.11.04

SAMPLES COLLECTED BY: JJ + MM

COURIER AND AIR BILL NUMBER:

COOLER TEMPERATURE UPON RECEIPT

RELINQUISHED BY	RECEIVED BY	DATE	TIME	SAMPLE'S CONDITION UPON RECEIPT
J. D. Jones	[signature]	5-11-04	13:18	
[signature]	[signature]	5-11-04	14:45	

Distribution: White - Laboratory (To be returned with Analytical Report); Goldenrod - Project File; Yellow - Project Data Manager

Applied P & Ch Laboratory
13760 Magnolia Ave., Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Receiving Checklist

APCL ServiceID: 2885 **Client Name/Project:** Geofon JPL

1. Sample Arrival

Date/Time Received 5/11/04 1445 Date/Time Opened 5/11/04 1445 By (name): Kevin Chan

Custody Transfer: ☐ Client ☐ Golden State ☐ UPS ☐ US Mail ☐ FedEx ☑ APCL Empl: Richard Stinson

2. Chain-of-Custody (CoC)

☑ With Samples? ☐ Faxed? ☑ Client has Copy? ☐ Signed, dated? By:
☑ Project ID? ☑ Analyses Clear? ☐ Hold Samples? #on Hold ____ # Received 8
☐ CoC/Docs Zip-Locked under lid? ☐ Compos.#: ___ ☑ #Samples OK?
☐ Discrepancies? ☐ Client notified? ☐ Response (attach docs): ____

3. Shipping Container/Cooler

☑ Cooler Used? # of 1 Cooled by: ☑ Ice ☐ Blue Ice ☐ Dry Ice ☐ None
Temp °C 25
(Cooler temperature measured from temp blank if present, otherwise measured from the cooler).
Cooler Custody Seal? ☐ Absent ☐ Intact ☐ Tampered?

4. Sample Preservation

☐ **pH <2** ☐ pH >12
If Not, pH = ____ Preserved by: ☐ Client ☐ APCL ☐ Third Party ____

5. Holding-time Requirements

☑ pH 24hr ☐ BACT 6/24hr ☑ Cr^{VI} 24hr ☑ NO_3^- 48hr ☐ BOD 48hr
☐ Cl_2 ASAP ☐ Turbidity 48hr ☐ DO ASAP ☐ Fe(II) ASAP
☐ HT Expired? ☐ Client notified?

6. Sample Container Condition

☑ Intact? ☐ Broken? ☐ Documented? Number: ____
Type: ☑ plastic ☑ glass ☐ Tube: brass/SS ☐ Tedlar Bag
☑ Quantity OK? ☐ Leaking? ☐ Anomaly?
☑ Caps tight? ☐ Air Bubbles? ☐ Anomaly?
Labels: ☑ Unique ID? ☑ Date/Time ☐ Preserved?

7. Turn Around Time

☐ RUSH TAT: ____ ☑ Std (7-10 days) ☐ Not Marked

8. Sample Matrix

☐ Drinking H_2O ☐ Other Liq ☐ Soil ☐ Wipe ☐ Polymer ☐ Air ☐ Other: ____
☑ Ground H_2O ☐ Sludge ☐ Filter ☐ Oil/Petro ☐ Paint ☐ W. Water ☐ Extract ☐ Unknown

9. Pre-Login Check List Completed & OK?

☑ ALL OK? (if not, attach docs) ☐ Client Contact? (Name:____)Date/Time:____
Received/Checked by: Kevin Chan Printed: 11 May 2004 7:25 a.m.

*HT: Samples must be analyzed for results to reflect total concentrations. Results generated outside required of holding times are considered minimal values and may be used to define waste as hazardous but not as non-hazardous.

DocumentFile: [neal.texfiles]smprcl.tex.

Applied P & Ch Laboratory
13760 Magnolia Ave. Chino CA 91710
Tel: (909) 590-1828 Fax: (909) 590-1498

Sample Login: Check List

04-02885 (0470_ 231) (2202777_ 231)

05/11/04

Part 1: General Information

☐ Company Information	Name:	*GEOFON, Inc.*
	Address:	*22632 Golden Spring Dr Ste 270 ,Diamond Bar ,CA 91765*
☐ Project Information	Project Description:	*JPL GW Mon 2Q04*
		MW-4
	Project #:	*4-12812*
☐ Billing Information	P.O. #:	
	Bill Address:	*22632 Golden Spring Dr Ste 270 ,Diamond Bar ,CA 91765*
	Lab Project ID:	
	Client Database #:	*3*
☐ Receiving Information	Who Received Sample?	*Kenny Chan*
	Receiving Date/Time:	*05/11/04 1445*
	COC No.	
☐ Shipping Information	Shipping Company	*APCL pick up*
	Packing Information:	*Cooler/Ice Chester*
	Cooler Temperature:	*2.5 °C*
☐ Container Information	Container Provider:	*Client*
☐ Sampling Information	Sampling Person:	*JJ/MM*
	Sampling Company:	*Client*
☐ Turn-Around-Time Option:		*Normal*
☐ QC Option:		*NEESA D*
☐ Disposal Option:		*Not specify*

Part 2: Sample Information

Seq. #	Sample ID (on COC)	Sample Sub-ID	APCL Sample ID	Matrix	Cont-tainer	Preser-vative	Vol, ml Am. g	# of Replica	Condition G, L, B	Collected mmddyy	Hold ?	Composite Group	TAT Days	
1	MW-4-5	Wet	04-02885-7-α	W	P		1000	1	G	051104	N	0	9	☐
	MW-4-5	Met	04-02885-7-β	W	P	N	500	1	G	051104	N	0	9	☐
	MW-4-5	VOC	04-02885-7-γ	W	V	C	40	3	G	051104	N	0	9	☐
2	MW-4-4	Wet	04-02885-6-α	W	P		1000	1	G	051104	N	0	9	☐
	MW-4-4	Met	04-02885-6-β	W	P	N	500	1	G	051104	N	0	9	☐
	MW-4-4	VOC	04-02885-6-γ	W	V	C	40	3	G	051104	N	0	9	☐
3	MW-4-3	Wet	04-02885-5-α	W	P		1000	1	G	051104	N	0	9	☐
	MW-4-3	Met	04-02885-5-β	W	P	N	500	1	G	051104	N	0	9	☐
	MW-4-3	VOC	04-02885-5-γ	W	V	C	40	3	G	051104	N	0	9	☐
4	MW-4-2	Wet	04-02885-4-α	W	P		1000	1	G	051104	N	0	9	☐
	MW-4-2	Met	04-02885-4-β	W	P	N	500	1	G	051104	N	0	9	☐
	MW-4-2	VOC	04-02885-4-γ	W	V	C	40	3	G	051104	N	0	9	☐
5	MW-4-1	Wet	04-02885-3-α	W	P		1000	1	G	051104	N	0	9	☐
	MW-4-1	Met	04-02885-3-β	W	P	N	500	1	G	051104	N	0	9	☐
	MW-4-1	VOC	04-02885-3-γ	W	V	C	40	3	G	051104	N	0	9	☐
	MW-4-1	Dioxane	04-02885-3-δ	W	G		1000	1	G	051104	N	0	9	☐
6	EB-8-5/11/04	Wet	04-02885-2-α	W	P		1000	1	G	051104	N	0	9	☐
	EB-8-5/11/04	Met	04-02885-2-β	W	P	N	500	1	G	051104	N	0	9	☐
	EB-8-5/11/04	VOC	04-02885-2-γ	W	V	C	40	3	G	051104	N	0	9	☐
7	TB-8-5/11/04	VOC	04-02885-8	W	V	C	40	2	G	051104	N	0	9	☐
8	DUPE-3-2Q04	Wet	04-02885-1-α	W	P		1000	1	G	051104	N	0	9	☐
	DUPE-3-2Q04	Met	04-02885-1-β	W	P	N	500	1	G	051104	N	0	9	☐
	DUPE-3-2Q04	VOC	04-02885-1-γ	W	V	C	40	3	G	051104	N	0	9	☐

Part 3: Analysis Information

Test Items:

- ☐ *524.2* Volatile Organic Compounds
- ☐ *7196A* Chromium (VI)
- ☐ *314.0/300.0* Perchlorate, low level
- ☐ *300.0* Chloride Cl^- by IC
- ☐ *300.0* Sulfate (SO_4^{--}), by IC
- ☐ *300.0/SM4500NO3C* Nitrate (NO_3^-) as N by IC
- ☐ *SM2320B* Carbonate
- ☐ *SM2320B* Bicarbonate
- ☐ *9040B/150.1* pH
- ☐ *160.1* Solids, Total Dissolved (TDS)
- ☐ *200.7/6010B* Sodium, Na, by ICP
- ☐ *200.7/6010B* Calcium, Ca, by ICP